

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Exhibit V

Page S1

Effective March 1, 2017

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	6.78	1500	1.27	0.36	1925	8.86	1500	1.57	0.34	2683	3.75	966	0.73	0.38
0008	6.53	1500	1.15	0.34	2001	-	-	1.52	0.36	2688	6.33	1500	1.24	0.39
0016	16.44	1500	2.65	0.31	2002	5.72	1390	1.12	0.38	2701	23.80	1500	3.88	0.32
0034	6.41	1500	1.20	0.36	2003	8.08	1500	1.52	0.36	2702	29.02	1500	3.88	0.28
0035	4.80	1192	0.95	0.39	2014	11.08	1500	1.78	0.31	2709	33.71	1500	5.53	0.32
0036	14.25	1500	2.64	0.35	2016	5.78	1403	1.14	0.39	2710	15.61	1500	2.38	0.28
0037	12.27	1500	2.15	0.34	2021	5.64	1373	0.99	0.34	2714	9.05	1500	1.79	0.39
0042	17.13	1500	3.01	0.34	2039	5.72	1390	1.12	0.39	2731	6.64	1500	1.07	0.31
0050	13.00	1500	2.44	0.36	2041	5.89	1426	1.16	0.39	2735	9.36	1500	1.83	0.38
0059D	0.58	-	0.04	0.27	2065	7.03	1500	1.32	0.36	2759	12.69	1500	2.49	0.39
0065D	0.11	-	0.01	0.31	2070	11.97	1500	2.24	0.36	2790	5.19	1276	1.01	0.38
0066D	0.11	-	0.01	0.31	2081	6.22	1497	1.16	0.36	2797	9.58	1500	1.79	0.36
0067D	0.11	-	0.01	0.31	2089	9.53	1500	1.77	0.36	2799	12.91	1500	2.31	0.34
0079	10.61	1500	1.70	0.31	2095	7.83	1500	1.46	0.36	2802	12.30	1500	2.19	0.34
0083	14.61	1500	2.72	0.36	2101	-	-	1.46	0.36	2804	-	-	1.22	0.43
0106	35.55	1500	5.35	0.28	2105	7.97	1500	1.56	0.38	2812	-	-	1.56	0.36
0113	10.52	1500	1.98	0.36	2110	5.19	1276	1.01	0.38	2835	6.00	1450	1.27	0.44
0170	9.22	1500	1.73	0.36	2111	7.25	1500	1.41	0.38	2836	6.83	1500	1.47	0.44
0251	7.66	1500	1.44	0.36	2112	9.41	1500	1.84	0.38	2841	6.66	1500	1.32	0.39
0400	-	-	0.94	0.34	2114	5.50	1343	1.08	0.39	2881	5.72	1390	1.22	0.43
0401	27.96	A	4.21	0.28	2121	3.28	865	0.62	0.36	2883	8.36	1500	1.56	0.36
0766N	1.03	-	-	-	2130	5.05	1246	0.95	0.36	2913	-	-	1.56	0.36
0771N	0.94	-	-	-	2143	6.33	1500	1.24	0.39	2915	7.03	1500	1.24	0.34
0908P	325.00	485	61.07	0.36	2157	12.94	1500	2.45	0.36	2916	11.41	1500	1.73	0.28
0913P	1055.00	1215	200.15	0.36	2172	2.89	781	0.52	0.35	2923	4.94	1222	0.98	0.39
0917	11.80	1500	2.32	0.39	2174	7.11	1500	1.40	0.39	2942	-	-	0.65	0.43
1005*	11.95	1500	1.38	0.28	2211	19.38	1500	3.18	0.32	2960	9.11	1500	1.72	0.36
1016X*	29.52	1500	3.31	0.28	2220	5.64	1373	1.07	0.36	3004	2.86	775	0.47	0.32
1164D	9.63	1500	1.27	0.28	2286	3.89	996	0.77	0.39	3018	4.72	1175	0.77	0.31
1165D	6.47	1500	0.98	0.28	2288	8.30	1500	1.64	0.39	3022	6.58	1500	1.30	0.39
1320	3.00	805	0.46	0.28	2300	-	-	1.47	0.36	3027	6.75	1500	1.09	0.31
1322	36.21	1500	5.49	0.28	2302	4.19	1061	0.79	0.36	3028	7.58	1500	1.42	0.36
1420	-	-	1.02	0.28	2305	3.33	876	0.59	0.34	3030	9.91	1500	1.60	0.31
1430D	9.92	1500	1.49	0.31	2361	4.58	1145	0.86	0.36	3040	11.86	1500	1.92	0.31
1438D	13.38	1500	1.93	0.28	2362	3.08	822	0.58	0.36	3041	8.83	1500	1.66	0.36
1452	6.19	1491	1.00	0.31	2380	5.42	1325	1.01	0.36	3042	8.97	1500	1.59	0.34
1463	24.30	1500	3.64	0.27	2386	-	-	1.47	0.36	3064	13.80	1500	2.59	0.36
1472	5.50	1343	0.93	0.33	2388	3.69	953	0.72	0.39	3069	-	-	1.19	0.36
1473X	2.89	781	0.47	0.31	2402	7.19	1500	1.17	0.31	3076	6.36	1500	1.19	0.36
1474	-	-	0.93	0.33	2413	4.19	1061	0.79	0.36	3081D	8.41	1500	1.34	0.31
1624D	6.69	1500	1.02	0.28	2416	3.78	973	0.71	0.36	3082D	6.63	1500	1.05	0.31
1642	5.53	1349	0.90	0.32	2417	3.03	811	0.57	0.36	3085D	10.91	1500	1.71	0.31
1654	13.22	1500	2.19	0.32	2501	7.78	1500	1.47	0.36	3110	8.83	1500	1.66	0.36
1655	4.42	1110	0.72	0.32	2503	2.42	680	0.48	0.39	3111	5.72	1390	1.08	0.36
1699	13.64	1500	2.21	0.31	2534	4.22	1067	0.82	0.38	3113	5.42	1325	1.01	0.36
1701	7.53	1500	1.22	0.31	2570	6.78	1500	1.34	0.39	3114	4.86	1205	0.92	0.36
1710D	11.49	1500	1.87	0.32	2585	9.36	1500	1.84	0.39	3117	-	-	0.88	0.39
1741D	6.05	1461	0.75	0.27	2586	4.64	1158	0.87	0.36	3118	4.44	1115	0.88	0.39
1747	6.33	1500	1.04	0.32	2587	7.22	1500	1.43	0.39	3119	2.25	644	0.47	0.43
1748	11.41	1500	1.82	0.31	2589	6.47	1500	1.21	0.36	3120	-	-	0.88	0.36
1803D	15.63	1500	2.27	0.28	2600	7.39	1500	1.46	0.39	3122	4.36	1097	0.85	0.38
1852	-	-	0.78	0.26	2623	15.66	1500	2.76	0.34	3126	2.97	799	0.56	0.36
1853	2.61	721	0.47	0.35	2651	2.50	698	0.49	0.39	3131	3.80	977	0.71	0.36
1860	4.39	1104	0.87	0.39	2660	5.14	1265	1.01	0.38	3132	5.92	1433	1.11	0.36
1924	3.42	895	0.68	0.39	2670	4.19	1061	0.88	0.43	3145	8.22	1500	1.53	0.36

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Exhibit V

Page S2

Effective March 1, 2017

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3146	5.61	1366	1.05	0.36	3826	3.53	919	0.66	0.36	4493D	5.41	1323	0.99	0.36
3169	5.69	1383	1.07	0.36	3827	5.78	1403	1.02	0.34	4511	1.44	470	0.26	0.34
3175D	6.84	1500	1.27	0.36	3830	2.30	655	0.41	0.34	4557	4.67	1164	0.91	0.38
3179	4.30	1085	0.85	0.39	3851	6.80	1500	1.35	0.39	4558D	2.86	775	0.53	0.36
3180	4.58	1145	0.90	0.39	3865	4.75	1181	0.99	0.43	4568	14.11	1500	2.25	0.31
3188D	3.92	1003	0.76	0.39	3881	10.52	1500	1.97	0.36	4581	2.00	590	0.30	0.27
3220	3.58	930	0.67	0.36	4000	11.05	1500	1.68	0.28	4583	10.86	1500	1.65	0.28
3223	7.97	1500	1.67	0.43	4021	9.08	1500	1.46	0.31	4611	2.42	680	0.47	0.39
3224	6.83	1500	1.37	0.40	4024D	6.42	1500	1.04	0.31	4635	5.44	1330	0.72	0.27
3227	7.11	1500	1.40	0.39	4034	16.13	1500	2.59	0.31	4653	3.61	936	0.71	0.39
3240	6.91	1500	1.38	0.39	4036	4.75	1181	0.77	0.31	4665	14.83	1500	2.40	0.31
3241	10.30	1500	1.91	0.36	4038	6.36	1500	1.36	0.44	4670	16.00	1500	2.56	0.31
3255	4.11	1044	0.87	0.43	4053	4.44	1115	0.82	0.36	4683	9.19	1500	1.75	0.36
3257	14.19	1500	2.65	0.36	4061	6.53	1500	1.29	0.39	4686	4.08	1037	0.66	0.31
3270	4.72	1175	0.88	0.36	4062	4.61	1151	0.86	0.36	4692	1.17	412	0.23	0.39
3300	7.55	1500	1.41	0.36	4101	5.83	1413	1.02	0.34	4693	2.03	596	0.38	0.36
3303	7.75	1500	1.52	0.38	4109	1.19	416	0.24	0.39	4703	4.39	1104	0.83	0.36
3307	7.19	1500	1.35	0.36	4110	1.67	519	0.31	0.36	4717	4.97	1229	1.06	0.44
3315	9.64	1500	1.90	0.39	4111	5.83	1413	1.16	0.39	4720	4.33	1091	0.81	0.36
3334	5.64	1373	1.08	0.37	4113	3.22	852	0.61	0.36	4740	2.08	607	0.34	0.31
3336D	5.22	1282	0.84	0.32	4114	6.05	1461	1.14	0.36	4741	5.67	1379	1.08	0.36
3365D	17.16	1500	2.80	0.32	4130	9.53	1500	1.78	0.36	4751	8.58	1500	1.37	0.31
3372	7.91	1500	1.40	0.34	4131	7.39	1500	1.45	0.38	4766NX	7.53	1500	1.00	0.28
3373	8.14	1500	1.55	0.36	4133	5.11	1259	0.99	0.38	4771NX	5.33	1500	0.70	0.27
3383	3.22	852	0.63	0.39	4149	1.44	470	0.30	0.43	4777	9.08	1500	1.20	0.27
3385	1.75	536	0.35	0.39	4206	6.61	1500	1.24	0.36	4825	2.39	674	0.38	0.31
3400	7.19	1500	1.26	0.34	4207	3.05	816	0.50	0.32	4828	3.44	900	0.61	0.34
3507	7.75	1500	1.46	0.36	4239	5.61	1366	0.91	0.32	4829	1.94	577	0.30	0.28
3515	5.33	1306	1.01	0.36	4240	4.67	1164	0.91	0.38	4902	5.33	1306	1.05	0.39
3548	2.53	704	0.48	0.36	4243	4.50	1128	0.85	0.36	4923	1.81	549	0.34	0.36
3559	5.08	1252	0.95	0.36	4244	5.28	1295	1.00	0.36	5020	13.44	1500	2.18	0.31
3574	1.86	560	0.37	0.39	4250	3.19	846	0.60	0.36	5022	15.02	1500	2.30	0.29
3581	2.33	661	0.46	0.39	4251	5.72	1390	1.08	0.36	5037	26.21	1500	3.48	0.27
3612	5.83	1413	1.03	0.34	4263	6.72	1500	1.27	0.36	5040	21.44	1500	2.87	0.28
3620	7.08	1500	1.14	0.31	4273	4.58	1145	0.87	0.36	5057	9.33	1500	1.24	0.28
3629	3.72	960	0.73	0.39	4279	5.11	1259	0.98	0.37	5059	48.35	1500	6.31	0.27
3632	7.86	1500	1.38	0.34	4282	4.19	1061	0.84	0.39	5069	54.35	1500	7.29	0.28
3634	4.39	1104	0.87	0.39	4283	3.94	1007	0.74	0.36	5102	12.22	1500	1.85	0.28
3635	7.03	1500	1.33	0.36	4299	4.44	1115	0.87	0.39	5146	9.78	1500	1.59	0.32
3638	3.50	913	0.68	0.39	4304	9.39	1500	1.65	0.34	5160	6.03	1456	0.93	0.29
3642	2.53	704	0.48	0.36	4307	3.78	973	0.80	0.43	5183	6.72	1500	1.10	0.32
3643	5.86	1420	1.11	0.36	4351	1.86	560	0.35	0.36	5188	8.83	1500	1.47	0.32
3647D	5.00	1235	0.82	0.34	4352	3.58	930	0.70	0.38	5190	6.03	1456	0.99	0.32
3648	3.61	936	0.71	0.39	4360	2.05	601	0.41	0.39	5191	2.19	631	0.41	0.36
3681	3.22	852	0.64	0.39	4361	3.25	859	0.64	0.39	5192	11.22	1500	2.13	0.36
3685	2.30	655	0.45	0.39	4362	-	-	0.41	0.39	5213	13.44	1500	2.04	0.28
3719	3.19	846	0.42	0.28	4410	11.69	1500	2.18	0.36	5215	11.50	1500	2.05	0.34
3724	9.78	1500	1.50	0.29	4420	8.89	1500	1.36	0.28	5221	10.16	1500	1.65	0.31
3726	7.11	1500	0.95	0.28	4431	3.00	805	0.63	0.43	5222	13.77	1500	2.11	0.29
3803	3.86	990	0.73	0.36	4432	3.05	816	0.65	0.43	5223	17.11	1500	2.77	0.31
3807	5.72	1390	1.13	0.39	4439	5.05	1246	0.88	0.33	5348	12.11	1500	1.98	0.32
3808	10.19	1500	1.79	0.34	4452	5.50	1343	1.03	0.36	5402	11.64	1500	2.28	0.38
3821	17.13	1500	3.03	0.34	4459	8.47	1500	1.58	0.36	5403	13.47	1500	2.03	0.28
3822X	8.47	1500	1.49	0.34	4470D	5.86	1420	1.09	0.36	5437	13.69	1500	2.23	0.32
3824X	12.58	1500	2.22	0.34	4484	6.36	1500	1.19	0.36	5443	11.44	1500	2.19	0.37

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Exhibit V

Page S3

Effective March 1, 2017

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5445	21.27	1500	3.18	0.27	6836	6.25	1500	1.01	0.31	7515	2.97	799	0.39	0.27
5462	15.63	1500	2.55	0.32	6843F	32.74	1500	4.30	0.25	7520	8.41	1500	1.58	0.36
5472	11.50	1500	1.53	0.28	6845F	14.05	1500	1.84	0.25	7538	20.38	1500	2.67	0.27
5473	16.22	1500	2.14	0.27	6854	6.47	1500	0.86	0.27	7539	4.39	1104	0.67	0.28
5474	10.77	1500	1.65	0.28	6872F	19.33	1500	2.56	0.25	7540	6.69	1500	0.88	0.27
5478	17.05	1500	2.79	0.32	6874F	31.94	1500	4.19	0.25	7570	-	-	0.67	0.28
5479	15.83	1500	2.80	0.34	6882	7.53	1500	0.99	0.27	7580	6.83	1500	1.10	0.31
5480	11.47	1500	1.75	0.29	6884	9.89	1500	1.31	0.28	7590	5.92	1433	1.06	0.34
5491	5.08	1252	0.77	0.28	7016M	3.78	973	0.51	0.28	7600	11.44	1500	1.85	0.31
5506	12.00	1500	1.58	0.27	7024M	4.19	1061	0.57	0.28	7601	-	-	1.85	0.31
5507	9.16	1500	1.38	0.28	7038M	11.25	1500	1.45	0.26	7605	4.61	1151	0.75	0.32
5508D	21.85	1500	3.59	0.32	7046M	20.44	1500	2.72	0.28	7610	1.14	405	0.20	0.34
5535	17.25	1500	2.80	0.31	7047M	7.91	1500	1.03	0.28	7611	-	-	1.85	0.31
5537	11.30	1500	1.84	0.32	7050M	23.58	1500	2.89	0.26	7612	-	-	1.85	0.31
5551	43.77	1500	5.69	0.26	7090M	12.50	1500	1.60	0.26	7613	-	-	1.85	0.31
5606	3.80	977	0.58	0.28	7098M	22.72	1500	3.02	0.28	7705	15.02	1500	2.67	0.34
5610	14.16	1500	2.67	0.36	7099M	42.88	1500	5.45	0.28	7710	7.14	1500	1.08	0.28
5645	30.24	1500	4.52	0.27	7133	8.53	1500	1.29	0.28	7711	7.14	1500	1.08	0.28
5651	-	-	4.52	0.27	7151M	10.36	1500	1.56	0.28	7720	8.19	1500	1.33	0.31
5703	25.96	1500	4.21	0.31	7152M	21.72	1500	3.15	0.28	7855	6.86	1500	1.11	0.31
5705	32.27	1500	5.19	0.31	7153M	11.50	1500	1.74	0.28	8001	5.69	1383	1.12	0.39
5951	0.83	338	0.17	0.38	7222	19.30	1500	3.08	0.31	8002	5.92	1433	1.10	0.36
6003	17.25	1500	2.82	0.32	7228	13.41	1500	2.21	0.32	8006	6.30	1500	1.18	0.36
6005	9.50	1500	1.54	0.31	7229	15.86	1500	2.44	0.29	8008	3.36	882	0.66	0.38
6017	12.41	1500	2.04	0.32	7230	17.86	1500	3.18	0.34	8010	4.55	1138	0.89	0.38
6018	4.44	1115	0.74	0.33	7231	18.52	1500	3.30	0.34	8013	1.39	459	0.26	0.36
6045	9.78	1500	1.63	0.32	7232	12.66	1500	1.96	0.29	8015	2.69	738	0.50	0.36
6204	27.52	1500	4.16	0.28	7309F	25.02	1500	3.31	0.25	8017	3.80	977	0.74	0.38
6206	8.91	1500	1.18	0.27	7313F	8.69	1500	1.14	0.25	8018	6.03	1456	1.19	0.39
6213	5.11	1259	0.78	0.28	7317F	21.85	1500	2.84	0.26	8021	7.11	1500	1.33	0.36
6214	4.94	1222	0.65	0.27	7327F	36.16	1500	4.81	0.25	8031	5.25	1289	0.99	0.36
6216	11.64	1500	1.56	0.28	7333M	4.89	1211	0.67	0.29	8032	5.47	1336	1.07	0.39
6217	16.11	1500	2.43	0.28	7335M	5.44	1330	0.75	0.29	8033	5.53	1349	1.03	0.36
6229	13.52	1500	2.01	0.27	7337M	10.27	1500	1.35	0.29	8037	5.00	1235	0.99	0.39
6233	5.80	1407	0.90	0.29	7350F	33.05	1500	4.87	0.26	8039	4.80	1192	0.93	0.38
6235	19.22	1500	2.58	0.28	7360	9.86	1500	1.60	0.31	8044	9.39	1500	1.67	0.34
6236	22.38	1500	3.64	0.32	7370	11.47	1500	2.15	0.36	8045	1.61	506	0.32	0.39
6237	3.89	996	0.64	0.32	7380	11.36	1500	2.03	0.34	8046	6.05	1461	1.13	0.36
6251D	17.66	1500	2.83	0.31	7382	10.86	1500	2.05	0.36	8047	2.64	728	0.52	0.38
6252D	13.61	1500	1.79	0.27	7390	18.77	1500	3.52	0.36	8058	7.89	1500	1.47	0.36
6260	-	-	2.83	0.31	7394M	6.08	1467	0.82	0.28	8072	1.78	543	0.35	0.38
6306	13.02	1500	1.96	0.28	7395M	6.75	1500	0.91	0.28	8102	7.91	1500	1.53	0.38
6319	11.44	1500	1.71	0.27	7398M	12.75	1500	1.64	0.28	8103	5.33	1306	0.94	0.34
6325	16.50	1500	2.50	0.28	7402	0.42	250	0.08	0.36	8105	-	-	1.19	0.39
6400	17.11	1500	3.02	0.34	7403	3.50	913	0.57	0.32	8106	12.05	1500	1.95	0.31
6503	5.47	1336	1.08	0.39	7405N	1.92	794	0.31	0.32	8107	6.94	1500	1.14	0.32
6504	5.61	1366	1.10	0.38	7420	13.86	1500	1.88	0.29	8111	5.69	1383	1.08	0.36
6702M*	8.33	1500	1.35	0.31	7421	1.94	577	0.31	0.30	8116	7.30	1500	1.37	0.36
6703M*	17.47	1500	2.71	0.31	7422	2.55	708	0.34	0.28	8203	13.22	1500	2.51	0.36
6704M*	9.25	1500	1.50	0.31	7425	5.05	1246	0.70	0.29	8204	9.61	1500	1.54	0.31
6801F	5.89	1426	0.91	0.28	7431N	1.53	667	0.21	0.29	8209	9.47	1500	1.77	0.36
6811	11.47	1500	1.88	0.32	7445N	1.03	-	-	-	8215	6.64	1500	1.08	0.31
6824F	20.72	1500	3.10	0.25	7453N	0.83	-	-	-	8227	13.14	1500	1.72	0.27
6826F	10.19	1500	1.58	0.29	7500	-	-	0.68	0.31	8232	11.50	1500	1.86	0.31
6834	12.02	1500	2.13	0.34	7502	4.19	1061	0.68	0.31	8233	8.91	1500	1.48	0.32

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective March 1, 2017

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8235	7.89	1500	1.48	0.36	8855	0.42	250	0.08	0.36					
8263	15.02	1500	2.62	0.33	8856	0.58	285	0.11	0.36					
8264	12.36	1500	1.99	0.31	8864	5.11	1259	0.96	0.36					
8265	19.44	1500	2.90	0.27	8868	0.83	338	0.16	0.38					
8279	16.19	1500	2.42	0.27	8869	2.72	745	0.53	0.38					
8288	31.52	1500	4.97	0.30	8871	0.28	220	0.05	0.39					
8291	9.19	1500	1.63	0.34	8901	0.50	268	0.09	0.34					
8292	7.22	1500	1.36	0.36	9012	3.44	900	0.61	0.34					
8293	24.38	1500	3.96	0.31	9014	7.91	1500	1.48	0.36					
8295	-	-	0.94	0.34	9015	8.86	1500	1.66	0.36					
8304	9.66	1500	1.56	0.31	9016	5.03	1241	0.94	0.36					
8350	16.69	1500	2.54	0.28	9019	3.50	913	0.56	0.31					
8353X	11.52	1500	1.89	0.32	9033	4.75	1181	0.90	0.36					
8380	8.91	1500	1.58	0.34	9040	11.41	1500	2.21	0.38					
8381	5.72	1390	1.01	0.34	9052	5.11	1259	1.01	0.39					
8385	7.55	1500	1.23	0.31	9058	3.83	983	0.80	0.43					
8392	4.94	1222	0.93	0.36	9060	3.75	966	0.73	0.38					
8393	4.78	1188	0.90	0.36	9061	3.30	870	0.70	0.43					
8399X	12.64	1500	2.46	0.37	9063	2.36	667	0.46	0.38					
8500	15.36	1500	2.46	0.31	9077F	7.91	1500	1.35	0.35					
8601	1.19	416	0.21	0.34	9082	4.08	1037	0.86	0.43					
8602	2.11	614	0.38	0.34	9083	3.53	919	0.75	0.43					
8603	0.25	214	0.05	0.36	9084	4.08	1037	0.76	0.36					
8606	11.50	1500	1.75	0.28	9088a	a	a	a	a					
8709F	10.30	1500	1.36	0.25	9089	2.94	792	0.57	0.38					
8719	10.30	1500	1.36	0.27	9093	4.25	1074	0.82	0.38					
8720	4.14	1050	0.68	0.32	9101	6.72	1500	1.32	0.38					
8721	0.75	321	0.12	0.31	9102	6.25	1500	1.17	0.36					
8723	0.58	285	0.11	0.36	9154	3.19	846	0.60	0.36					
8725	5.72	1390	0.92	0.31	9156	4.80	1192	0.85	0.34					
8726F	7.64	1500	1.19	0.28	9170	20.13	1500	2.66	0.27					
8734M	1.25	429	0.20	0.31	9178	9.94	1500	2.06	0.43					
8737M	1.11	399	0.18	0.31	9179	36.16	1500	7.15	0.39					
8738M	2.33	661	0.37	0.31	9180	9.47	1500	1.51	0.31					
8742	0.92	358	0.15	0.31	9182	4.55	1138	0.85	0.36					
8745	13.69	1500	2.43	0.34	9186	26.96	1500	4.00	0.27					
8748	1.67	519	0.29	0.34	9220	14.22	1500	2.50	0.34					
8755	1.06	388	0.17	0.31	9402	16.02	1500	2.59	0.31					
8799	1.56	495	0.29	0.36	9403	17.02	1500	2.57	0.28					
8800	3.86	990	0.81	0.43	9410	4.28	1080	0.81	0.36					
8803	0.22	207	0.03	0.31	9501	8.28	1500	1.45	0.34					
8805M	0.56	280	0.10	0.36	9505	10.30	1500	1.82	0.34					
8810	0.42	250	0.08	0.36	9516	15.94	1500	2.60	0.32					
8814M	0.50	268	0.09	0.36	9519	12.94	1500	2.10	0.31					
8815M	1.06	388	0.20	0.36	9521	9.64	1500	1.57	0.32					
8820	0.31	227	0.05	0.34	9522	5.05	1246	0.95	0.36					
8824	8.36	1500	1.64	0.38	9534	7.66	1500	1.16	0.28					
8825	5.36	1312	1.12	0.43	9554	28.52	1500	4.30	0.28					
8826	8.22	1500	1.54	0.36	9586	1.53	489	0.32	0.43					
8829	6.08	1467	1.15	0.36	9600	5.22	1282	1.03	0.39					
8831	3.61	936	0.67	0.35	9620	2.44	685	0.43	0.34					
8832	1.00	375	0.19	0.36										
8833	3.28	865	0.61	0.35										
8835	6.91	1500	1.31	0.36										
8842	7.66	1500	1.44	0.36										

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2017

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.58	S	1741D	0.36	S	4024D	0.03	S
0065D	0.11	S	1803D	0.58	S	4470D	0.03	B,L
0066D	0.11	S	3081D	0.11	S	4493D	0.19	B
0067D	0.11	S	3082D	0.08	S	4558D	0.06	L
1164D	0.08	S	3085D	0.19	S	5508D	0.08	S
1165D	0.03	S	3175D	0.06	S	6251D	0.08	S
1430D	0.67	L	3188D	0.03	L	6252D	0.06	S
1438D	0.58	S	3336D	0.08	L			
1624D	0.03	S	3365D	0.03	L			
1710D	0.08	S	3647D	0.33	L			

S=Silica L=Lead, B=Benzol

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4766	0766
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$1.59. (For coverage written separately for federal benefits only, \$1.56. For coverage written separately for state benefits only, \$0.03.)
- 1016 Rate includes a non-ratable disease element of \$4.78. (For coverage written separately for federal benefits only, \$4.67. For coverage written separately for state benefits only, \$0.11.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.547 and elr x 2.438.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2017

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$64,900
Leased or rented vehicle.....	\$43,300

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$160

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.40
Minimum Premium Factor	0.75
Maximum Premium Factor	1.75
Loss Conversion Factor	1.192
Tax Multiplier	1.052

Loss Development Factors	
1st Adjustment	0.24
2nd Adjustment	0.24
3rd Adjustment	0.16
4th Adjustment	0.12

Maximum Weekly Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers" and the **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports" and Code 9179 -- "Athletic Sports or Park: Contact Sports"..... \$3,300

Minimum Weekly Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers".... \$850

Premium Determination for Partners and Sole Proprietors in accordance with **Basic Manual** Rule 2-E-3 (Annual Payroll)..... \$43,300

Premium Reduction Percentages - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis:

Deductible Amount	Total Losses						
	HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	0.6%	0.5%	0.4%	0.3%	0.2%	0.2%	0.1%
\$200	1.2%	0.9%	0.8%	0.6%	0.5%	0.4%	0.3%
\$300	1.6%	1.3%	1.2%	0.9%	0.7%	0.5%	0.4%
\$400	2.1%	1.6%	1.5%	1.1%	0.9%	0.7%	0.5%
\$500	2.5%	2.0%	1.7%	1.4%	1.1%	0.8%	0.6%
\$1,000	4.0%	3.2%	2.9%	2.3%	1.8%	1.4%	1.0%
\$1,500	5.1%	4.1%	3.8%	3.0%	2.4%	1.8%	1.4%
\$2,000	6.0%	4.9%	4.5%	3.6%	2.9%	2.2%	1.7%
\$2,500	6.8%	5.5%	5.0%	4.1%	3.3%	2.6%	2.0%

Terrorism (Assigned Risk)..... 0.02

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 110%

(Multiply a Non-F classification rate by a factor of 2.10 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (2.00) and the adjustment for differences in loss-based expenses (1.049).)

Effective March 1, 2017

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES (cont.)

Experience Rating Eligibility

A risk qualifies for experience rating on an intrastate basis when it meets the premium eligibility requirements for the state in which it operates. The eligibility amount varies by rating effective date. The ***Experience Rating Plan Manual*** should be referenced for the latest approved eligibility amounts by state and by effective date.