

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2018

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN	ELR	D	CLASS CODE	RATE	MIN	ELR	D	CLASS CODE	RATE	MIN	ELR	D
		PREM		RATIO			PREM		RATIO			PREM		RATIO
0005	5.43	1327	1.11	0.37	1925	8.35	1500	1.62	0.34	2688	5.92	1433	1.27	0.38
0008	5.70	1386	1.10	0.34	2002	4.94	1222	1.05	0.38	2701	21.23	1500	3.77	0.31
0016	13.56	1500	2.39	0.31	2003	7.86	1500	1.62	0.37	2702	23.23	1500	3.36	0.27
0034	6.02	1454	1.24	0.37	2014	9.16	1500	1.62	0.31	2709	31.01	1500	5.54	0.32
0035	3.81	979	0.82	0.38	2016	4.97	1229	1.08	0.38	2710	14.40	1500	2.38	0.28
0036	12.83	1500	2.60	0.36	2021	4.40	1106	0.85	0.34	2714	8.75	1500	1.89	0.38
0037	10.26	1500	1.97	0.33	2039	5.56	1355	1.19	0.38	2731	6.46	1500	1.13	0.31
0042	15.10	1500	2.91	0.33	2041	5.13	1263	1.11	0.38	2735	7.21	1500	1.54	0.38
0050	10.83	1500	2.23	0.37	2065	6.02	1454	1.25	0.37	2759	10.59	1500	2.27	0.38
0059D	0.49	-	0.03	0.27	2070	11.64	1500	2.39	0.36	2790	4.48	1123	0.96	0.37
0065D	0.08	-	0.01	0.31	2081	4.94	1222	1.01	0.36	2797	9.02	1500	1.84	0.36
0066D	0.08	-	0.01	0.31	2089	7.62	1500	1.56	0.37	2799	12.80	1500	2.49	0.34
0067D	0.08	-	0.01	0.31	2095	6.16	1484	1.27	0.37	2802	11.88	1500	2.31	0.34
0079	8.13	1500	1.43	0.31	2101	-	-	1.27	0.37	2804	-	-	1.09	0.44
0083	11.72	1500	2.41	0.37	2105	6.81	1500	1.45	0.37	2835	5.19	1276	1.21	0.44
0106	27.42	1500	4.50	0.27	2110	4.24	1072	0.91	0.38	2836	5.35	1310	1.26	0.44
0113	8.27	1500	1.70	0.37	2111	7.00	1500	1.49	0.37	2841	5.29	1297	1.14	0.38
0170	7.16	1500	1.46	0.36	2112	7.67	1500	1.64	0.38	2881	4.67	1164	1.09	0.44
0251	6.32	1500	1.31	0.37	2114	4.92	1218	1.05	0.38	2883	6.83	1500	1.40	0.36
0400	-	-	0.85	0.33	2121	2.51	700	0.52	0.37	2913	-	-	1.40	0.36
0401	24.69	A	4.04	0.27	2130	3.94	1007	0.82	0.37	2915	6.83	1500	1.32	0.34
0766N	0.84	-	-	-	2143	5.08	1252	1.09	0.38	2916	9.43	1500	1.55	0.27
0771N	0.76	-	-	-	2157	9.59	1500	1.99	0.37	2923	4.21	1065	0.90	0.38
0908P	284.00	444	58.20	0.37	2172	2.32	659	0.46	0.34	2942	-	-	0.58	0.44
0913P	883.00	1043	183.02	0.37	2174	5.40	1321	1.16	0.38	2960	7.97	1500	1.65	0.37
0917	9.83	1500	2.11	0.38	2211	16.23	1500	2.90	0.32	3004	2.08	607	0.37	0.31
1005*	10.75	1500	1.33	0.27	2220	4.48	1123	0.93	0.37	3018	4.11	1044	0.73	0.32
1016X*	25.12	1500	2.97	0.28	2286	3.21	850	0.69	0.38	3022	5.83	1413	1.26	0.38
1164D	7.72	1500	1.10	0.27	2288	6.13	1478	1.32	0.38	3027	5.43	1327	0.96	0.31
1165D	5.05	1246	0.83	0.27	2300	-	-	1.32	0.36	3028	6.37	1500	1.31	0.37
1320	2.84	771	0.47	0.27	2302	4.08	1037	0.83	0.36	3030	7.45	1500	1.32	0.31
1322	29.98	1500	4.93	0.27	2305	3.19	846	0.62	0.34	3040	10.07	1500	1.78	0.31
1420	-	-	0.99	0.28	2361	4.46	1119	0.91	0.36	3041	8.05	1500	1.65	0.36
1430D	8.38	1500	1.38	0.31	2362	2.89	781	0.59	0.36	3042	6.97	1500	1.36	0.34
1438D	11.10	1500	1.74	0.27	2380	4.16	1054	0.86	0.37	3064	9.40	1500	1.94	0.37
1452	5.81	1409	1.04	0.32	2386	-	-	1.32	0.36	3069	-	-	1.10	0.37
1463	18.61	1500	3.03	0.27	2388	2.92	788	0.63	0.38	3076	5.32	1304	1.10	0.37
1472	4.24	1072	0.72	0.29	2402	6.10	1472	1.08	0.31	3081D	6.05	1461	1.06	0.31
1473X	2.05	601	0.36	0.31	2413	3.57	928	0.73	0.37	3082D	6.45	1500	1.12	0.31
1474	-	-	0.72	0.29	2416	3.11	829	0.65	0.37	3085D	8.29	1500	1.42	0.31
1624D	5.97	1444	0.99	0.28	2417	2.40	676	0.50	0.37	3110	7.24	1500	1.50	0.37
1642	3.94	1007	0.70	0.31	2501	6.46	1500	1.32	0.36	3111	4.92	1218	1.02	0.37
1654	9.40	1500	1.70	0.32	2503	2.35	665	0.51	0.38	3113	4.43	1112	0.91	0.36
1655	-	-	0.70	0.31	2534X	4.86	1205	1.04	0.37	3114	4.21	1065	0.87	0.37
1699	12.07	1500	2.13	0.31	2570	5.59	1362	1.21	0.38	3117	-	-	0.83	0.38
1701	6.08	1467	1.07	0.31	2585	6.97	1500	1.50	0.38	3118	3.86	990	0.83	0.38
1710D	8.61	1500	1.52	0.31	2586	4.11	1044	0.85	0.37	3119	1.70	526	0.39	0.44
1741DX	5.64	1373	0.76	0.27	2587	5.46	1334	1.18	0.38	3120	-	-	0.88	0.37
1747	4.81	1194	0.87	0.32	2589	6.29	1500	1.28	0.36	3122	3.86	990	0.82	0.38
1748	9.59	1500	1.68	0.31	2600	7.16	1500	1.55	0.38	3126	2.35	665	0.48	0.37
1803D	15.07	1500	2.38	0.27	2623	13.80	1500	2.67	0.34	3131	3.24	857	0.67	0.36
1852	-	-	0.64	0.26	2651	2.43	682	0.52	0.38	3132	5.75	1396	1.17	0.36
1853X	4.02	1024	0.78	0.34	2660	3.94	1007	0.84	0.38	3145	5.94	1437	1.21	0.36
1860	-	-	0.95	0.38	2670	3.46	904	0.80	0.44	3146	4.97	1229	1.02	0.36
1924	2.94	792	0.64	0.38	2683	3.65	945	0.77	0.37	3169	4.83	1198	0.99	0.36

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2018

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3175	-	-	0.99	0.36	3830	1.67	519	0.32	0.34	4558D	2.62	723	0.53	0.37
3179	3.59	932	0.78	0.38	3851	4.83	1198	1.05	0.38	4568	12.94	1500	2.25	0.30
3180	3.94	1007	0.85	0.38	3865	4.38	1102	1.00	0.43	4581	1.59	502	0.26	0.26
3188D	3.81	979	0.81	0.38	3881	9.10	1500	1.87	0.36	4583	8.83	1500	1.46	0.28
3220	2.94	792	0.61	0.37	4000	8.81	1500	1.46	0.28	4611	2.21	635	0.47	0.38
3223	-	-	0.85	0.38	4021	8.32	1500	1.47	0.31	4635	4.75	1181	0.68	0.27
3224	5.59	1362	1.22	0.38	4024D	5.97	1444	1.05	0.31	4653	2.73	747	0.59	0.38
3227	5.81	1409	1.25	0.38	4034	13.61	1500	2.40	0.31	4665	11.94	1500	2.12	0.31
3240	5.24	1287	1.13	0.38	4036	4.21	1065	0.74	0.31	4670	12.83	1500	2.25	0.31
3241	8.56	1500	1.74	0.36	4038	5.24	1287	1.22	0.44	4683	7.35	1500	1.53	0.37
3255	3.59	932	0.83	0.44	4053	-	-	0.80	0.36	4686	3.40	891	0.60	0.31
3257	10.91	1500	2.24	0.36	4061	-	-	0.80	0.36	4692	1.03	381	0.22	0.38
3270	4.27	1078	0.88	0.37	4062	3.89	996	0.80	0.36	4693	1.67	519	0.34	0.37
3300	6.32	1500	1.29	0.36	4101	3.97	1014	0.77	0.34	4703	3.54	921	0.73	0.37
3303	5.32	1304	1.14	0.38	4109	0.89	351	0.19	0.38	4717	3.54	921	0.82	0.44
3307	6.54	1500	1.35	0.37	4110	1.35	450	0.28	0.37	4720	4.21	1065	0.87	0.37
3315	7.40	1500	1.60	0.38	4111	2.59	717	0.56	0.38	4740	1.76	538	0.31	0.31
3334	4.32	1089	0.90	0.37	4113	-	-	0.56	0.38	4741	5.32	1304	1.11	0.37
3336D	4.37	1100	0.77	0.32	4114	5.00	1235	1.04	0.37	4751	5.86	1420	1.03	0.31
3365D	15.94	1500	2.84	0.32	4130	7.99	1500	1.64	0.36	4766NX	6.19	1500	0.89	0.27
3372	6.78	1500	1.31	0.34	4131	7.18	1500	1.53	0.37	4771NX	4.29	1246	0.61	0.26
3373	6.97	1500	1.45	0.37	4133	4.13	1048	0.88	0.37	4777	7.32	1500	1.05	0.27
3383	2.84	771	0.60	0.38	4149	1.22	422	0.28	0.44	4825	2.16	624	0.38	0.31
3385	1.49	480	0.32	0.38	4206	5.86	1420	1.21	0.37	4828	2.92	788	0.57	0.34
3400	6.13	1478	1.18	0.33	4207	2.97	799	0.54	0.32	4829	1.54	491	0.26	0.28
3507	5.83	1413	1.20	0.37	4239	4.73	1177	0.84	0.32	4902	4.78	1188	1.03	0.38
3515	4.92	1218	1.01	0.37	4240	4.54	1136	0.97	0.38	4923	1.35	450	0.28	0.37
3548	2.03	596	0.42	0.37	4243	3.62	938	0.75	0.37	5020	11.88	1500	2.11	0.31
3559	4.32	1089	0.89	0.36	4244	4.32	1089	0.90	0.37	5022	13.78	1500	2.29	0.28
3574	1.65	515	0.35	0.38	4250	2.62	723	0.54	0.37	5037	25.98	1500	3.75	0.27
3581	1.81	549	0.39	0.38	4251	4.67	1164	0.97	0.37	5040	15.02	1500	2.17	0.28
3612	4.81	1194	0.94	0.34	4263	5.67	1379	1.17	0.37	5057	6.54	1500	0.94	0.27
3620	5.27	1293	0.93	0.31	4273	3.94	1007	0.82	0.37	5059	46.43	1500	6.59	0.26
3629	2.89	781	0.62	0.38	4279	4.46	1119	0.95	0.38	5069	-	-	6.59	0.26
3632	5.37	1315	1.04	0.34	4282	-	-	0.95	0.38	5102	10.94	1500	1.80	0.27
3634	3.59	932	0.77	0.38	4283	2.76	753	0.57	0.37	5146	8.51	1500	1.51	0.31
3635	5.92	1433	1.21	0.37	4299	3.38	887	0.72	0.38	5160	5.05	1246	0.85	0.28
3638	3.13	833	0.67	0.38	4304	7.54	1500	1.45	0.33	5183	5.97	1444	1.07	0.32
3642	2.32	659	0.48	0.37	4307	2.94	792	0.68	0.44	5188	7.51	1500	1.36	0.32
3643	4.89	1211	1.01	0.37	4351	1.54	491	0.32	0.36	5190	5.97	1444	1.06	0.31
3647D	4.08	1037	0.74	0.34	4352	3.13	833	0.67	0.37	5191	1.78	543	0.37	0.37
3648	3.13	833	0.68	0.38	4360	1.73	532	0.38	0.38	5192	8.97	1500	1.85	0.37
3681	2.57	713	0.56	0.38	4361	2.46	689	0.54	0.38	5213	11.75	1500	1.94	0.27
3685	1.92	573	0.41	0.38	4410	8.40	1500	1.73	0.37	5215	9.89	1500	1.93	0.34
3719	2.57	713	0.37	0.28	4420	7.54	1500	1.25	0.28	5221	8.45	1500	1.50	0.31
3724	7.24	1500	1.20	0.28	4431	2.43	682	0.57	0.44	5222	13.64	1500	2.25	0.28
3726	5.73	1392	0.83	0.27	4432	2.51	700	0.58	0.44	5223	16.96	1500	3.00	0.31
3803	2.97	799	0.62	0.37	4439	-	-	0.53	0.37	5348	8.48	1500	1.51	0.32
3807	5.00	1235	1.07	0.38	4452	5.10	1257	1.05	0.36	5402	8.94	1500	1.91	0.38
3808	9.16	1500	1.77	0.34	4459	6.78	1500	1.39	0.36	5403	11.29	1500	1.86	0.27
3821	16.83	1500	3.25	0.34	4470D	5.35	1310	1.09	0.36	5437	11.10	1500	1.98	0.32
3822X	6.21	1495	1.20	0.33	4484	5.78	1403	1.18	0.36	5443	11.34	1500	2.36	0.37
3824X	11.05	1500	2.13	0.34	4493D	5.27	1293	1.05	0.37	5445	17.66	1500	2.89	0.27
3826	3.43	897	0.71	0.37	4511	1.35	450	0.26	0.34	5462	13.21	1500	2.35	0.32
3827	4.78	1188	0.93	0.34	4557	4.54	1136	0.96	0.37	5472	10.67	1500	1.54	0.27

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2018

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5473	14.75	1500	2.11	0.27	6854	6.46	1500	0.93	0.27	7520	6.59	1500	1.36	0.37
5474	10.37	1500	1.71	0.27	6872F	20.18	1500	2.96	0.23	7538	15.61	1500	2.23	0.27
5478	15.40	1500	2.74	0.31	6874F	30.76	1500	4.48	0.24	7539	3.24	857	0.54	0.28
5479	11.99	1500	2.33	0.34	6882	6.32	1500	0.91	0.27	7540	4.78	1188	0.68	0.26
5480	10.24	1500	1.70	0.28	6884	7.86	1500	1.13	0.27	7570	-	-	0.54	0.28
5491	5.02	1239	0.84	0.28	7016M	3.24	857	0.48	0.28	7580	6.13	1478	1.08	0.31
5506	10.91	1500	1.56	0.27	7024M	3.59	932	0.52	0.28	7590	4.92	1218	0.96	0.34
5507	7.64	1500	1.26	0.27	7038M	10.70	1500	1.49	0.25	7600	9.56	1500	1.70	0.32
5508D	16.20	1500	2.91	0.32	7046M	16.96	1500	2.44	0.27	7601	-	-	1.70	0.32
5535	17.10	1500	3.02	0.31	7047M	6.75	1500	0.93	0.28	7605	4.21	1065	0.75	0.31
5537	10.02	1500	1.78	0.31	7050M	22.34	1500	2.96	0.25	7610	0.95	364	0.18	0.34
5551	41.00	1500	5.80	0.26	7090M	11.88	1500	1.65	0.25	7611	-	-	1.70	0.32
5606	3.08	822	0.51	0.28	7098M	18.85	1500	2.71	0.27	7612	-	-	1.70	0.32
5610	13.34	1500	2.75	0.37	7099M	35.44	1500	4.86	0.27	7613	-	-	1.70	0.32
5645	28.50	1500	4.64	0.27	7133	6.08	1467	1.00	0.27	7705	13.72	1500	2.67	0.34
5651	-	-	4.64	0.27	7151M	7.37	1500	1.21	0.27	7710	5.65	1375	0.92	0.27
5703	22.47	1500	3.97	0.31	7152M	15.42	1500	2.42	0.27	7711	5.65	1375	0.92	0.27
5705	32.01	1500	5.64	0.31	7153M	8.21	1500	1.35	0.27	7720	7.16	1500	1.27	0.31
5951	0.68	306	0.14	0.37	7219	13.94	1500	2.33	0.28	7855	6.35	1500	1.13	0.31
6003	14.13	1500	2.53	0.32	7222	19.31	1500	3.35	0.30	8001	4.70	1171	1.01	0.38
6005	8.18	1500	1.45	0.31	7225	11.13	1500	1.99	0.32	8002	4.62	1153	0.94	0.36
6017	-	-	1.94	0.27	7228	-	-	2.33	0.28	8006	5.65	1375	1.16	0.36
6018	3.81	979	0.70	0.33	7229	-	-	2.33	0.28	8008	2.70	741	0.58	0.38
6045	8.70	1500	1.58	0.33	7230	14.21	1500	2.77	0.34	8010	3.89	996	0.83	0.38
6204	20.10	1500	3.30	0.27	7231	14.67	1500	2.87	0.34	8013	0.97	369	0.20	0.37
6206	6.27	1500	0.90	0.27	7232	12.67	1500	2.13	0.29	8015	1.92	573	0.39	0.36
6213	4.11	1044	0.68	0.28	7309F	22.15	1500	3.24	0.24	8017	3.35	880	0.72	0.38
6214	3.78	973	0.54	0.27	7313F	9.16	1500	1.34	0.24	8018	4.89	1211	1.05	0.38
6216	11.53	1500	1.65	0.27	7317F	21.66	1500	3.14	0.25	8021	5.48	1338	1.12	0.37
6217	12.67	1500	2.08	0.27	7327F	33.87	1500	4.98	0.23	8031	4.21	1065	0.87	0.37
6229	12.37	1500	2.01	0.26	7333M	4.89	1211	0.72	0.28	8032	4.40	1106	0.95	0.38
6233	4.67	1164	0.77	0.28	7335M	5.43	1327	0.80	0.28	8033	4.43	1112	0.91	0.36
6235	15.31	1500	2.22	0.28	7337M	10.21	1500	1.43	0.28	8037	4.89	1211	1.06	0.38
6236	15.69	1500	2.80	0.32	7350F	31.01	1500	5.09	0.24	8039	3.75	966	0.80	0.37
6237	3.46	904	0.62	0.32	7360	9.05	1500	1.61	0.31	8044	7.78	1500	1.51	0.34
6251D	12.42	1500	2.13	0.30	7370	10.53	1500	2.16	0.36	8045	1.57	498	0.34	0.38
6252D	13.47	1500	1.94	0.27	7380	9.51	1500	1.87	0.34	8046	4.97	1229	1.02	0.36
6260	-	-	2.13	0.30	7382	9.48	1500	1.96	0.37	8047	2.03	596	0.43	0.38
6306	9.26	1500	1.52	0.27	7390	16.34	1500	3.36	0.37	8058	5.75	1396	1.18	0.36
6319	11.34	1500	1.85	0.27	7394M	4.75	1181	0.69	0.28	8072	1.54	491	0.33	0.37
6325	11.56	1500	1.91	0.28	7395M	5.29	1297	0.77	0.28	8102	7.43	1500	1.58	0.37
6400	16.75	1500	3.23	0.34	7398M	9.94	1500	1.38	0.28	8103	4.43	1112	0.85	0.33
6503	5.32	1304	1.14	0.38	7402	0.32	229	0.07	0.37	8105	-	-	1.05	0.38
6504	5.19	1276	1.11	0.38	7403	3.43	897	0.61	0.32	8106	9.94	1500	1.76	0.31
6702M*	7.72	1500	1.37	0.31	7405N	1.65	706	0.29	0.32	8107	5.67	1379	1.01	0.32
6703M*	16.10	1500	2.73	0.31	7420	10.75	1500	1.57	0.28	8111	4.43	1112	0.92	0.37
6704M*	8.56	1500	1.52	0.31	7421	1.43	467	0.24	0.29	8116	5.62	1368	1.15	0.36
6801F	5.29	1297	0.91	0.28	7422	2.03	596	0.29	0.28	8203	12.86	1500	2.65	0.37
6811	9.86	1500	1.75	0.32	7425	3.78	973	0.56	0.29	8204	9.43	1500	1.66	0.31
6824F	19.23	1500	3.18	0.23	7431N	1.35	607	0.20	0.29	8209	8.10	1500	1.67	0.37
6826F	9.29	1500	1.59	0.28	7445N	0.89	-	-	-	8215	6.10	1472	1.08	0.31
6834	10.51	1500	2.04	0.34	7453N	0.73	-	-	-	8227	9.21	1500	1.31	0.26
6836	5.70	1386	1.01	0.31	7500	-	-	0.59	0.31	8232	8.81	1500	1.56	0.31
6843F	27.09	1500	3.95	0.24	7502	3.35	880	0.59	0.31	8233	8.35	1500	1.52	0.33
6845F	11.64	1500	1.70	0.24	7515	2.76	753	0.39	0.27	8235	7.72	1500	1.60	0.37

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2018

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8263	11.99	1500	2.29	0.33	8856	0.57	283	0.12	0.37					
8264	10.21	1500	1.80	0.31	8864	4.38	1102	0.90	0.36					
8265	16.67	1500	2.72	0.27	8868	0.78	328	0.17	0.37					
8279	15.45	1500	2.52	0.27	8869	2.19	631	0.47	0.37					
8288	21.77	1500	3.78	0.30	8871	0.19	201	0.04	0.38					
8291	8.05	1500	1.56	0.34	8901	0.38	242	0.08	0.34					
8292	6.48	1500	1.34	0.37	9012	2.86	775	0.56	0.34					
8293	19.31	1500	3.43	0.31	9014	6.16	1484	1.26	0.36					
8295	-	-	0.85	0.33	9015	7.81	1500	1.61	0.37					
8304	7.67	1500	1.36	0.31	9016	4.67	1164	0.95	0.36					
8350	11.72	1500	1.94	0.28	9019	2.89	781	0.51	0.31					
8353X	11.16	1500	2.00	0.32	9033	4.11	1044	0.85	0.37					
8380	8.05	1500	1.56	0.34	9040	9.62	1500	2.03	0.37					
8381	3.97	1014	0.77	0.34	9052	3.94	1007	0.85	0.38					
8385	5.78	1403	1.03	0.32	9058	3.19	846	0.73	0.44					
8392	4.08	1037	0.84	0.36	9060	3.21	850	0.68	0.38					
8393	3.35	880	0.69	0.37	9061	2.65	730	0.61	0.44					
8399	-	-	2.13	0.34	9063	2.11	614	0.44	0.37					
8500	12.37	1500	2.18	0.31	9077F	7.59	1500	1.43	0.36					
8601	0.84	341	0.16	0.34	9082	3.24	857	0.74	0.44					
8602	2.05	601	0.40	0.34	9083	3.13	833	0.72	0.44					
8603	0.19	201	0.04	0.37	9084	3.24	857	0.66	0.36					
8606	7.94	1500	1.31	0.28	9088a	a	a	a	a					
8709F	9.62	1500	1.40	0.24	9089	2.40	676	0.51	0.37					
8719	9.16	1500	1.30	0.26	9093	3.24	857	0.69	0.37					
8720	4.05	1031	0.72	0.31	9101	5.19	1276	1.11	0.38					
8721	0.59	287	0.11	0.31	9102	5.59	1362	1.14	0.36					
8723	0.57	283	0.12	0.37	9154	2.73	747	0.55	0.36					
8725	5.08	1252	0.90	0.31	9156	3.89	996	0.75	0.34					
8726F	7.97	1500	1.36	0.28	9170	18.72	1500	2.68	0.27					
8734M	0.95	364	0.17	0.31	9178	9.94	1500	2.25	0.43					
8737M	0.86	345	0.15	0.31	9179	25.69	1500	5.53	0.38					
8738M	1.78	543	0.29	0.31	9180	8.78	1500	1.53	0.30					
8742	0.70	311	0.12	0.31	9182	3.40	891	0.69	0.36					
8745	10.37	1500	2.02	0.34	9186	27.01	1500	4.36	0.26					
8748	1.13	403	0.22	0.34	9220	11.26	1500	2.17	0.34					
8755	1.03	381	0.18	0.30	9402	13.37	1500	2.37	0.31					
8799	1.16	409	0.24	0.36	9403	14.15	1500	2.33	0.27					
8800	3.16	839	0.73	0.44	9410	3.78	973	0.78	0.37					
8803	0.16	194	0.03	0.31	9501	7.18	1500	1.39	0.34					
8805M	0.49	265	0.10	0.37	9505	8.40	1500	1.63	0.34					
8810	0.35	235	0.07	0.37	9516	13.02	1500	2.33	0.32					
8814M	0.43	252	0.09	0.37	9519	10.75	1500	1.91	0.31					
8815M	0.89	351	0.17	0.37	9521	6.62	1500	1.18	0.31					
8820	0.30	225	0.06	0.34	9522	3.75	966	0.78	0.37					
8824	7.35	1500	1.57	0.38	9534	6.56	1500	1.09	0.28					
8825	5.05	1246	1.16	0.44	9554	24.80	1500	4.09	0.27					
8826	6.62	1500	1.36	0.36	9586	1.22	422	0.28	0.44					
8829	4.94	1222	1.02	0.37	9600	4.38	1102	0.95	0.38					
8831	3.00	805	0.61	0.36	9620	1.86	560	0.36	0.34					
8832	0.78	328	0.16	0.37										
8833	3.08	822	0.62	0.36										
8835	6.10	1472	1.27	0.37										
8842	6.59	1500	1.35	0.36										
8855	0.32	229	0.07	0.36										

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2018
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.49	S	1710D	0.05	S	3647D	0.27	L
0065D	0.08	S	1741DX	0.32	S	4024D	0.03	S
0066D	0.08	S	1803D	0.57	S	4470D	0.03	B,L
0067D	0.08	S	3081D	0.08	S	4493D	0.19	B
1164D	0.08	S	3082D	0.08	S	4558D	0.05	L
1165D	0.03	S	3085D	0.16	S	5508D	0.05	S
1430D	0.57	L	3188D	0.03	L	6251D	0.05	S
1438D	0.49	S	3336D	0.08	L	6252D	0.05	S
1624D	0.03	S	3365D	0.03	L			

S=Silica L=Lead, B=Benzol

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4766	0766
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$1.54. (For coverage written separately for federal benefits only, \$1.51. For coverage written separately for state benefits only, \$0.03.)
- 1016 Rate includes a non-ratable disease element of \$4.65. (For coverage written separately for federal benefits only, \$4.54. For coverage written separately for state benefits only, \$0.11.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.537 and elr x 2.419.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2018

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$65,800
Leased or rented vehicle.....	\$43,800

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$160

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.40
Minimum Premium Factor	0.75
Maximum Premium Factor	1.75
Loss Conversion Factor	1.19
Tax Multiplier	1.052

Loss Development Factors	
1st Adjustment	0.26
2nd Adjustment	0.20
3rd Adjustment	0.20
4th Adjustment	0.13

Maximum Weekly Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers" and the **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports" and Code 9179 -- "Athletic Sports or Park: Contact Sports"..... \$3,400

Minimum Weekly Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers".... \$850

Premium Determination for Partners and Sole Proprietors in accordance with **Basic Manual** Rule 2-E-3 (Annual Payroll)..... \$43,800

Premium Reduction Percentages - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis:

Deductible Amount	Total Losses						
	HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	0.6%	0.5%	0.4%	0.3%	0.2%	0.2%	0.1%
\$200	1.2%	0.9%	0.8%	0.6%	0.5%	0.3%	0.3%
\$300	1.7%	1.3%	1.2%	0.9%	0.7%	0.5%	0.4%
\$400	2.2%	1.6%	1.5%	1.2%	0.9%	0.6%	0.5%
\$500	2.6%	1.9%	1.8%	1.4%	1.1%	0.8%	0.6%
\$1,000	4.2%	3.2%	3.0%	2.4%	1.8%	1.4%	1.1%
\$1,500	5.5%	4.2%	3.9%	3.1%	2.4%	1.8%	1.4%
\$2,000	6.4%	4.9%	4.6%	3.8%	2.9%	2.2%	1.7%
\$2,500	7.3%	5.6%	5.2%	4.3%	3.4%	2.6%	2.0%

Terrorism (Assigned Risk)..... 0.01

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 111%

(Multiply a Non-F classification rate by a factor of 2.11 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (2.00) and the adjustment for differences in loss-based expenses (1.055).)

Effective March 1, 2018

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES (cont.)

Experience Rating Eligibility

A risk qualifies for experience rating on an intrastate basis when it meets the premium eligibility requirements for the state in which it operates. The eligibility amount varies by rating effective date. The ***Experience Rating Plan Manual*** should be referenced for the latest approved eligibility amounts by state and by effective date.